
H&Y®

100mm超廣角磁吸支架

100mm Holder for Super Wide Lens



說明書


Instruction Manual

在使用本產品前，請務必仔細閱讀本說明書，
充分理解內容的基礎上，正確使用

Thank you for purchasing H&Y products.
Please read this manual carefully before use. The information provided in this manual intended as a guide to help the best use and understanding of its features.

v.01

支架簡易介紹 / Brief Introduction



1 支架支撐點 Alignment Locating Pins

2 濾鏡片鎖死按鈕 First Filter Locking Screw

3 刻度 Scale

4 支架鎖定條 Collar Locking Screw

5 磁吸片 Metal Strips


6 支架鎖定條按鈕 Lens Barrel Collar

特點 / Features

1、一體化設計，快速安裝，方便快捷；
2、可直接與H&Y磁吸濾鏡結合使用；
3、使用單片磁吸濾鏡時，最廣角8mm無暗角；


1、One piece design, simple installation
2、Ready to attach filters mounted in H&Y magnetic frames (available separately)
3、Whilst in a vertical alignment position, no vignetting will occur with one filter mounted at the widest 8mm end.

安裝方法 / Installation Method




支架四個支撐點對準遮光罩四個最低入光點

Align the four locating pins of the holder and slide it into the four recessed scoops of the lens hood.



支架後背蓋板條和卡扣按照箭頭方向牢固

Close the lens barrel cover from behind and securely tighten the locking screw




螺母可以鎖緊蓋板 牢固鏡頭

Following the arrow direction to tighten the locking screw, make sure it is locked in place firmly.

瞬間安裝H&Y磁吸濾鏡
Attaching H&Y Magnetic Filters


可直接與H&Y磁吸濾鏡瞬間結合，比傳統方片插片節省時間，由於磁吸支架取消了傳統插槽，大大降低了支架的厚度，不容易產生暗角。

With this new H&Y filter holder, photographers can enjoy using the H&Y magnetic system by quickly snapping filters onto the holder; doing away with the slot design on a traditional filter holder, the new design reduces thickness of holder and removes the gaps between the filters to avoid vignetting.




裝載磁吸边框
濾镜靠近磁吸支架可以贴合

Simply snap the magnetic filter on to the holder



鎖緊濾鏡片螺絲
可以讓濾鏡更加緊促

The first filter can be slightly locked in place with the side screw, this helps with security against unintentional detachment.



支持叠加滤镜

Stack multiple filters. *Vignetting will accur when more then two filters are stacked at the widest angle of the lenses range.

拍攝中注意事項 / Caution

H&Y超廣角支架針對100mm濾鏡攝影人群，由於濾鏡尺寸侷限原因，在使用中會出現特殊情況，有稍許暗角是正常現象。


備註：疊加2塊濾鏡時，使用不同富士系列相機有可能邊位產生暗影。
具體資料請參考下面介紹

Due to the limitation of the filter size, there might be some special case like vignetting in use of this H&Y 100mm Holder.

Remark: Stacking using two filters, vignetting might occur by different Fuji cameras.
Please refer to the following for specific information

測試一
濾鏡上下移動
焦段8mm

Test 1:
filter moves vertically
8mm



f/11 無暗角情況發生
8mm f/11, no vignetting

f/2.8 無暗角情況發生
8mm f/2.8, no vignetting

測試二

濾鏡旋轉5度


焦段8mm

Test 2:

filter rotation around

5 degree.

8mm



f/11 無暗角情況發生

8mm f/11, no vignetting

f/2.8右下角輕微暗角

8mm f/2.8, slight vignetting at lower right corner

測試三

濾鏡旋轉10度


焦段10mm

Test 3:

filter rotation around

10 degree.

10mm



f/11右下角輕微暗角

10mm f/11, slight vignetting at lower right corner

f/2.8右下角輕微暗角

10mm f/2.8, slight vignetting at lower right corner



測試四


濾鏡旋轉20度-30度

焦段12mm

Test 4:

filter rotation 20-30 degree.

12mm



f/11右下角輕微暗角

12mm f/11, slight vignetting at lower right corner

f/2.8三個角輕微暗角

12mm f/2.8, slight vignetting at three corners



測試五


濾鏡旋轉超過45度

焦段16mm

Test 4:


filter rotation over 45 degree.

16mm



f/11 無暗角情況發生

16mm f/11, no vignetting



f/2.8 無暗角情況發生

16mm f/2.8, no vignetting

總結：

8-10mm,上下移動完美無陰影

12mm,旋轉小于30度角時效果最好

16mm,可自由轉動均不會有陰影

Conclusion

8-10mm, perfect at vertical shift

12mm, perfect angle＞30 degree

16mm, no dark corner was found

H&Y®

H&Y DIGITAL COMPANY LIMITED

www.hy-filter.com
www.facebook.com/HY.Filters