Introduction to P127

P127-B (black color handle)



P127-CB (G10 with carbon fiber overlay)




SPECIFICATION

Overall Length: 215 mm / 8.46”
Blade Length: 91 mm / 3.58”
Blade Thickness: 3.1 mm/ 0.12”
Weight: 112 g/ 3.95 oz
Blade: 14C28N stainless steel (58~60HRC), brushed
Handle: G10 w/ 420 stainless steel liner (P127-B)
G10 w/ carbon fiber overlay w/ 420 stainless steel liner (P127-CB)
Locking: Liner lock
Bearing: Ball bearing washer

DESCRIPTION

Coming with our patent safety lock, P127 is reliable and strong enough for kinds of uses. Apart from the razor sharp tanto blade, P127 also equipped with a rear tungsten steel glass breaker for emergency.

FEATURES



Sandvik 14C28N Stainless Steel, Cryogenic Treatment

Sandvik 14C28N is a martensitic stainless chromium steel with a chemistry optimized for high quality professional knife applications which put very high demands on edge sharpness, edge stability and corrosion resistance. As to this knife, the 14C28N is intensively processed by RUIKE using quenching and cryogenic treatment, which features an ideal hardness of 58~60 HRC.

G10 Knife Handle

RUIKE knife handles are a blend of fiberglass and resin, giving the knives the ability to withstand intense forces, preventing scrapes and general abrasion.

"Thumb Up" safety lock

1) Avoids accidental blade closure;

2) Installed at the back of the handle, this safety lock allows quick turning on/off by thumb-up/thumb-down movement;
3) Patented, proprietary technology.

Ball bearing washer

The built-in lubricated balls are made of specialized high-carbon chromium bearing steel and are finely machined. The balls feature excellent hardness, wear resistance and fatigue durability.